Fixed Outdoor SERIES (320mm & 250mm module)





Your Trusted Manufacturer Partner

2F BLG1, Xintaiyang Industrial Park, NO. 114 Zhulongtian Road, Shiyan Street, Baoan District, Shenzhen, China

- +86 755 29191985
- (a) +86 755 29191985
- @ overseas@arechtech.com
- https://arechtech.com
- https://arechtech-led-display.eu









With ARECH Fixed Outdoor LED Screen Series, you can build large billboards or a big LED Wall where you can display advertising, any kind of video, live transmission TV, and much more. They can be placed in an open-air area thanks to their modular assembling system, easy front maintenance.

Any size of multiple times 250mm/ 320mm

(module dimension 250x250mm & 320x320mm)

We provide high quality, low cost, and effective solution for large scale advertisement, you may choose the right video wall size and LED Screen quality (pitch quality) to suit your budget. You may choose ANY SIZE of multiple times 250mm or 320mm.

- 1000x1000mm/ 1000x750mm/ 750x750mm etc.
- 960x960mm/ 960x640mm/ 640x640mm etc.

100% front access to all parts of the product, in a mechanical way



Easy replace module front maintenance




23 seconds to take out the module

100% front maintenance











Electromagnetic compatibility (EMC)

EMC (EMC) is the ability of electrical equipment and systems to function acceptably in their electromagnetic environment. EMC APROVED!

Strong Waterproof Protection (IP65)



Connector waterproof, potting inside to avoid water vapor, Silicone gasket



Fixed OUTDOOR LED Screen Specification

Fixed Outdoor LED Screen 250mm

Parameter	ACODP02.6FM	ACODP03.1FM	ACODP03.9FM	ACODP04.8FM	ACODP05.9FM	
Pixel Pitch	2.6mm	3.1mm	3.91mm	4.81mm	5.95 mm	
LED Type	SMD1515	SMD1921 SMD2727				
Module Dimension WxH	250x250mm					
Service Type	Front & Rear					
Brightness			≥5500nits			
Panel Dimension WxH	1000x1000mm					
Panel Material	Aluminum					
Panel Weight	32kg/sqm					
Processing	16 bit					
Colors	281 trillion					
Drive Mode	Dynamic					
Hor. Viewing Angle	160° +/-5° (@50% brightenss)					
Vert. Viewing Angle	160° +/-5° (@50% brightenss)					
Power Consumption	325 W/m²(typ.)					
Refresh Rate	Adjustable					
IP Rating	IP65					
Operating Power Voltage	100-240V / 50-60Hz					
Operating Temperature	-10°C to +40°C					
Operating Humidity	102 to 902					
Standard	CE/ FCC					
Warranty	2 years					



Fixed Outdoor LED Screen 250mm

Parameter	ACODP06.2FM	ACODP07.8FM	ACODP10.41FM				
Pixel Pitch	6.25mm	7.81mm	10.41mm				
LED Type	SMD2727						
Module Dimension WxH	250x250mm						
Service Type	Front & Rear						
Brightness	≥5500nits						
Panel Dimension WxH	1000x1000mm						
Panel Material	Aluminum						
Panel Weight	32kg/sqm						
Processing	16 bit						
Colors	281 trillion						
Drive Mode	Dynamic						
Hor. Viewing Angle	160° +/-5° (@50% brightenss)						
Vert. Viewing Angle	160° +/-5° (@50% brightenss)						
Power Consumption	325 W/m²(typ.)						
Refresh Rate	Adjustable						
IP Rating	IP65						
Operating Power Voltage	100-240V / 50-60Hz						
Operating Temperature	-10°C to +40°C						
Operating Humidity	102 to 902						
Standard	CE/ FCC						
Warranty	2 years						



LED Display

Fixed Outdoor

SERIES



Fixed Outdoor LED Screen 320mm

Parameter	ACODP05.3FM	ACODP06.6FM	ACODP08.0FM	ACODP10.0FM	ACODP16.0FM	
Pixel Pitch	5.33mm	6.66mm	8mm	10mm	16mm	
LED Type	SMD1921 SMD3535			DIP/ SMD		
Module Dimension WxH	320x320mm					
Service Type	Front & Rear					
Brightness	≥5500nits					
Panel Dimension WxH	960x960mm					
Panel Material	Iron					
Panel Weight	40kg/sqm					
Processing	16 bit					
Colors	281 trillion					
Drive Mode	Dynamic					
Hor. Viewing Angle	160° +/-5° (@50% brightenss)					
Vert. Viewing Angle	160° +/-5° (@50% brightenss)					
Power Consumption	325 W/m²(typ.)					
Refresh Rate	Adjustable					
IP Rating	IP65/IP43					
Operating Power Voltage	100-240V / 50-60Hz					
Operating Temperature	-10°C to +40°C					
Operating Humidity	102 to 902					
Standard	CE/ FCC					
Warranty	2 years					

We assure the quality, that's why we do quantity!















Your Trusted Manufacturer Partner

2F BLG1, Xintaiyang Industrial Park, NO. 114 Zhulongtian Road, Shiyan Street, Baoan District, Shenzhen, China

- +86 755 29191985
- (a) +86 755 29191985
- @ overseas@arechtech.com
- https://arechtech.com
- https://arechtech-led-display.eu

